


ADVANCED CABLE TIES PART NUMBER	BUNDLE DIAMETER		A IN (mm) +/- .098 (2.500mm)	B IN (mm) +/- .059 (1.500mm)	C IN (mm) +/- .012 (.300mm)	D IN (mm) +/- .017 (.430mm)	E IN (mm)	F IN (mm) +/- .010 (.250mm)	MIN LOOP TENSILE LBS (n)	ANSI/UL 94 MH FLAMABILITY RATING
	MIN IN (mm)	MAX IN (mm)								
AP(R, L)-04-18-ID-9	.21 (5.5mm)	.87 (22.0mm)	4.036(102.514mm)	3.114 (79.096mm)	.105 (2.667mm)	.978 (24.841mm)	.316 (8.026mm)	.040 (1.016mm)	18 (80)	V-2
AP(R, L)-07-50-ID-9	.49 (12.5mm)	2.0 (50.9mm)	7.500 (190.500mm)	6.187 (157.149mm)	.185 (4.699mm)	.507 (12.877mm)	1.059 (28.898mm)	.059 (1.498mm)	50 (222)	V-2
AP(R, L)-07-50-ID-0	.49 (12.5mm)	2.0 (50.9mm)	7.500 (190.500mm)	6.187 (157.149mm)	.185 (4.699mm)	.507 (12.877mm)	1.059 (28.898mm)	.059 (1.498mm)	50 (222)	V-2
AP(R, L)-14-50-ID-9	.49 (12.5mm)	4.2 (106.7mm)	14.57 (370.078mm)	13.250 (336.550mm)	.185 (4.699mm)	.507 (12.877mm)	1.059 (28.898mm)	.059 (1.498mm)	50 (222)	V-2
						 <b>ACT</b> ADVANCED CABLE TIES, INC.				
						50 LB IDENTIFICATION SERIES CABLE TIES				
D	3/13/18	PB	EG	EG	DELETED 14-50-ID-0 AND UPDATED VENDOR SPECS		<b>COLOR DESIGNATIONS:</b> 0 = BLACK 9 = NATURAL		<b>MATERIAL:</b>  <b>NYLON 6/6 POLYAMIDE</b>	
C	4/27/17	JA	KT	KT	NEW LOGO ADDED.		SHEET 1 OF 1		<b>REV.: D</b>	
B	2/11/16	JA	KT	KT	CORRECTION TO E DIMENSION ON 14-50 TIES		DRAWN BY		DATE	
A	12/23/14	JA	KT	KT	INITIAL RELEASE		CHECK		SCALE	
<b>REV</b>	<b>DATE</b>	<b>BY</b>	<b>CHK</b>	<b>APPROVE</b>	<b>DESCRIPTION</b>		JA	4/27/17	KT	NONE

CONFIDENTIAL PROPERTY OF ADVANCED CABLE TIES, INC.  
 THIS DRAWING IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF ADVANCED CABLE TIES, INC.